



Liste produits

Semaine 17

Nathalie saidani

(+33) 1 70 81 45 73

nsaidani@mane-informatique.com

www.mane-informatique.com

SOMMAIRE

[CISCO CATALYST & OPTIONS](#)

[CISCO ROUTERS](#)

[CISCO AIRONET](#)

NEUF : GARANTIE CONSTRUCTEUR

CISCO CATALYST & OPTIONS

ASA5505-50-BUN-K9	ASA 5505 Appliance with SW - 50 Users - 8 ports - 3DES/AES
ASA5505-UL-BUN-K9	ASA 5505 Appliance with SW,
ASA5506-K9	ASA 5506-X with FirePOWER services - 8GE - AC - 3DES/AES
ASA5506-SEC-BUN-K8	ASA 5506-X with FirePOWER
ASA5506-SEC-BUN-K9	ASA 5506 with FirePOWER services and Sec Plus license
ASA5506W-E-K9	ASA 5506-X with FirePOWER services - WiFi - 8GE - AC - 3DES/AES
ASA5508-K9	ASA 5508-X with FirePOWER services - 8GE - AC - 3DES/AES
ASA5512-K9	ASA 5512-X with SW, 6GE Data,
ASA5515-IPS-K9	ASA 5515-X with IPS, SW, 6GE
ASA5515-K9	ASA 5515-X with SW - 6GE Data - 1 GE Mgmt - AC - 3DES/AES
ASA5516-FPWR-K9	ASA 5516-X with FirePOWER
ASA5525-K9	ASA 5525-X with SW - 8GE Data - 1GE Mgmt - AC - 3DES/AES
ASA5545-IPS-K9	ASA 5545-X with IPS, SW, 8GE
C2960S-F-STACK=	Catalyst 2960S Flexstack Stack
C2960S-STACK=	Catalyst 2960S Flexstack Stack Module
C2960X-STACK=	Catalyst 2960-X FlexStack Plus Stacking Module optional
C3650-STACK-KIT=	Cisco Catalyst 3650 Stack
C3850-NM-2-10G=	Catalyst 3850 2 x 10GE Network Module

C3850-NM-4-10G=	Cisco Catalyst 3850 4 x 10GE
C3850-NM-4-1G=	Catalyst 3850 4 x 1GE Network Module
C3K-PWR-1150WAC=	Catalyst 3750E/3560E/RPS 2300
C3K-PWR-750WAC=	Catalyst 3750-E/3560-E/RPS 2300 750WAC Power Supply
C3KX-NM-10G=	Catalyst 3K-X 10G Network Module
C3KX-NM-1G	Catalyst 3K-X 1G Network Module
C3KX-PWR-1100WAC=	Catalyst 3K-X 1100W AC Power
C3KX-PWR-350WAC=	Catalyst 3K-X 350W AC Power Supply
C3KX-PWR-715WAC=	Catalyst 3K-X 715W AC Power
C4KX-NM-8SFP+=	Cisco Catalyst 4500X 8 Port
C4KX-PWR-750AC-F=	Catalyst 4500X 750W AC Back
C4KX-PWR-750AC-R=	Catalyst 4500X 750W AC Front
CAB-AC-2500W-EU=	Power Cord, 250Vac 16A,
CAB-AC-2800W-EU=	Europe Power Cord
CAB-AC2UK=	Cisco AC Power Cord UK
CAB-CONSOLE-USB=	Console Cable 6 ft with USB Type A and mini-B
CAB-ETH-S-RJ45=	Yellow Cable for Ethernet,
CAB-RPS-1614=	1 RPS 675 Connector Cable
CAB-SPWR-150CM=	Catalyst 3750X and 3850 Stack Power Cable 150cm
CAB-SPWR-30CM=	Catalyst 3750X and 3850 Stack
CAB-STACK-1M=	StackWise 1m Stacking Cable
CAB-STACK-3M=	Cisco StackWise 3M Stacking
CAB-STACK-50CM=	StackWise 50cm Stacking Cable
CAB-STK-E-0.5M=	Bladeswitch 0.5m stack cable
CAB-STK-E-1M=	Cisco Bladeswitch 1M Stack
CAB-STK-E-3M=	Cisco Bladeswitch 3M Stack
CFP-40G-SR4=	Cisco 40GBASE-SR4 CFP Module
CP-6911-W-K9=	Cisco UC Phone 6911, White,
CP-6961-W-K9=	Cisco UC Phone 6961, Arctic
CP-6961-WL-K9=	Cisco UC Phone 6961, Arctic
CP-7821-K9=	UC Phone 7821
CP-7841-K9=	Cisco UC Phone 7841
CP-7942G=	UC Phone 7942

CP-7945G=	UC Phone 7945 - Gig Ethernet - Color
CP-7962G=	UC Phone 7962
CP-7965G=	Cisco UC Phone 7965, Gig
CP-7975G=	UC Phone 7975 - Gig Ethernet - Color
CP-8811-K9=	Cisco IP Phone 8811 Series
CP-8831-EU-K9=	8831 IP phone EU and Australia DECT Frequency
CP-8845-K9=	Cisco IP Phone 8845
CP-8851-K9=	Cisco UC Phone 8851
CP-9971-CL-K9=	Cisco UC Phone 9971, Charcoal,
CP-9971-W-K9=	Cisco UC Phone 9971, White,
CP-9971-WL-K9=	Cisco UC Phone 9971, White,
DS-SFP-FC-2G-LW=	2 Gbps Fibre Channel-LW SFP,
DS-SFP-GE-T=	Gigabit Ethernet Copper SFP,
EHWIC-1GE-SFP-CU=	EHWIC 1 Port Dual Mode SFP
EHWIC-VA-DSL-M=	Multi Mode VDSL2/ADSL/2/2+
GLC-LH-SMD=	1000BASE-LX/LH SFP Transceiver
GLC-SX-MMD=	1000BASE-SX SFP Transceiver
HWIC-1T=	1-Port Serial WAN Interface Card
HWIC-2FE=	Two 10/100 routed port HWIC
HWIC-2T=	2-Port Serial WAN Interface Card
IE-3000-4TC	IE 3000 Switch - 4 10/100 + 2 T/SFP
IE-3000-8TC	IE 3000 Switch - 8 10/100 + 2 T/SFP
IEM-3000-4SM=	Cisco IE 3000 4 port SFP
IEM-3000-8TM=	Cisco IE 3000 Expansion
ISR4331/K9	ISR 4331 (2GE - 2NIM - 1SM - 4G FLASH - 4G DRAM - IPB)
ISR4331-AX/K9	ISR 4331 AX Bundle w/ APP-SEC lic
ISR4331-SEC/K9	Cisco ISR 4331 Sec Bundle
L-880-AIS=	880 Advanced IP Services License PAK (e-Delivery)
L-ASA5505-10-50=	ASA 5505 10- to- 50 User Upgrade License (e-Delivery)
L-ASA5505-10-UL=	ASA 5505 10-to- Unlimited User Upgrade License (e-Delivery)
L-ASA5505-SEC-PL=	ASA 5505 Sec. Plus Lic. w/ HA - DMZ - VLAN trunk - more conns. (e-Delivery)
L-ASA5510-SEC-PL=	ASA 5510 Security Plus License w/ HA - GE - more VLANs + conns (e-Delivery)
L-ASA5512-SEC-PL=	ASA 5512-X Sec. Plus Lic. w/ HA- Sec Ctxt- more VLAN + Conns (e-Delivery)

[RETOUR SOMMAIRE](#)

L-ASA-SSL-10=	ASA 5500 SSL VPN 10 Premium User License (e-Delivery)
L-C3560X-24-S-E	C3560X-24 IP Base to IP Services (e-Delivery)
L-C3560X-48-S-E	C3560X-48 IP Base to IP Services (e-Delivery)
L-C3750X-24-L-S=	C3750X-24 LAN Base to IP
L-C3750X-24-S-E	C3750X- 24 IP Base to IP Services (e-Delivery)
L-CM-DL-10=	Unified CM Device License For ELD - 10 Units (e-Delivery)
L-LIC-CT2504-1A	1 AP Adder License for 2504 WLAN Controller (e- Delivery)
L-LIC-CT2504-25A	25 AP Adder Licenses for 2504 WLAN Controller (e-Delivery)
L-LIC-CT2504-5A	5 AP Adder Licenses for 2504 WLAN Controller (e- Delivery)
L-LIC-CT5508-5A	5 AP Adder License for the 5508 Controller (e-Delivery)
L-SL-19-DATA-K9=	Data PAK for Cisco 1900 (e-Delivery)
L-SL-19-SEC-K9=	Security PAK for 1900 (e-Delivery)
L-SL-29-SEC-K9=	Security E-Delivery PAK for
ME-3400E-24TS-M=	ME3400E Ethernet Access Switch
ME-3400EG-12CS-M=	ME3400E 12Combo + 4 SFPs
ME-3400EG-2CS-A=	ME3400E 2Combo + 2 SFP
MR16-HW	Meraki MR16 Cloud Managed Access Point
PVDM3-128=	128-Channel High-Density Voice
PWR-2700-AC/4=	Cisco 2700W AC Power Supply
PWR-2901-POE=	Cisco 2901 AC Power Supply
PWR-2921-51-AC=	Cisco 2921/2951 AC Power
PWR-C1-1100WAC=	Cisco 1100W AC Config 1 Power
PWR-C1-350WAC=	350W AC Config 1 Power Supply
PWR-C1-715WAC=	715W AC Config 1 Power Supply
PWR-C2-1025WAC=	Cisco 1025W AC Config 2 Power
PWR-C2-250WAC=	Cisco 250W AC Config 2 Power
PWR-C2-640WAC=	640W AC Config 2 Power Supply
PWR-C45-1400AC=	Catalyst 4500 1400W AC Power
PWR-C45-2800ACV=	Catalyst 4500 2800W AC Power
PWR-C49M-1000AC=	4900M AC Power Supply, 1000
PWR-RPS2300=	Spare RPS 2300 Chassis w/
RCKMNT-19-CMPCT=	19inch RackMount for Catalyst 3560 - 2960 - ME- 3400 Compact Switch
SFP-10G-SR=	10GBASE-SR SFP Module

SFP-H10GB-ACU10M=	Active Twinax cable assembly - 10m
SFP-H10GB-CU2M=	10GBASE-CU SFP+ Cable 2 Meter
SFP-H10GB-CU3M=	10GBASE-CU SFP+ Cable 3 Meter
SFP-H10GB-CU5M=	10GBASE-CU SFP+ Cable 5 Meter
SG300-10PP-K9-EU	SG300-10PP 10-port Gigabit PoE+ Managed Switch
SRW2024-K9-EU	SG300-28 28-port Gigabit Managed Switch
SRW2048-K9-EU	SG300-52 52-port Gigabit Managed Switch
SRW224G4-K9-EU	SF300-24 24-port 10/100 Managed Switch with Gigabit Uplinks
STACK-T1-1M=	1M Type 1 Stacking Cable
STACK-T1-3M=	3M Type 1 Stacking Cable
STACK-T1-50CM=	50cm Type 1 Stacking Cable
STACK-T2-1M=	1M Type 2 Stacking Cable Spare
STACK-T2-3M=	3M Type 2 Stacking Cable Spare
VG204XM	Cisco VG204XM Analog Voice
VS-S2T-10G=	Cat 6500 Sup 2T with 2 x 10GbE
VWIC3-2MFT-T1/E1=	2-Port 3rd Gen Multiflex Trunk
WIC-1T=	1-Port Serial WAN Interface
WS-C2960+24LC-L	Catalyst 2960 Plus 24 10/100 (8 PoE) + 2 T/SFP LAN Base
WS-C2960+24LC-S	Catalyst 2960 Plus 24 10/100
WS-C2960+24PC-L	Catalyst 2960 Plus 24 10/100 PoE + 2 T/SFP LAN Base
WS-C2960+24PC-S	Catalyst 2960 Plus 24 10/100
WS-C2960+24TC-L	Catalyst 2960 Plus 24 10/100 + 2T/SFP LAN Base
WS-C2960+24TC-S	Catalyst 2960 Plus 24 10/100
WS-C2960+48PST-L	Catalyst 2960 Plus 48 10/100 PoE + 2 1000BT + 2 SFP LAN Base
WS-C2960+48PST-S	Catalyst 2960 Plus 48 10/100
WS-C2960+48TC-L	Catalyst 2960 Plus 48 10/100 + 2 T/SFP LAN Base
WS-C2960+48TC-S	Catalyst 2960 Plus 48 10/100
WS-C2960C-12PC-L	Catalyst 2960C Switch 12 FE PoE - 2 x Dual Uplink - Lan Base
WS-C2960C-8PC-L	Catalyst 2960C Switch 8 FE PoE
WS-C2960C-8TC-L	Catalyst 2960C Switch 8 FE - 2 x Dual Uplink - Lan Base
WS-C2960C-8TC-S	Catalyst 2960C Switch 8 FE,
WS-C2960CG-8TC-L	Catalyst 2960C Switch 8 GE - 2 x Dual Uplink - LAN Base
WS-C2960CX-8PC-L	Catalyst 2960-CX 8 Port PoE

WS-C2960CX-8TC-L	Catalyst 2960-CX Switch 8 GE uplinks: 2 x 1G SFP and 2 x 1G copper - LAN Base
WS-C2960S-24PS-L	Catalyst 2960S 24 GigE PoE 370W - 4 x SFP LAN Base
WS-C2960S-24TS-S	Catalyst 2960S 24 GigE,
WS-C2960X-24PD-L	Catalyst 2960-X 24 GigE PoE 370W - 2 x 10G SFP+ - LAN Base
WS-C2960X-24PS-L	Catalyst 2960-X 24 GigE PoE
WS-C2960X-24TD-L	Catalyst 2960-X 24 GigE,
WS-C2960X-24TS-L	Catalyst 2960-X 24 GigE - 4 x 1G SFP - LAN Base
WS-C2960X-24TS-LL	Catalyst 2960-X 24 GigE,
WS-C2960X-48FPD-L	Catalyst 2960-X 48 GigE PoE 740W - 2 x 10G SFP+ - LAN Base
WS-C2960X-48FPS-L	Catalyst 2960-X 48 GigE PoE 740W - 4 x 1G SFP - LAN Base
WS-C2960X-48LPD-L	Catalyst 2960-X 48 GigE PoE 370W - 2 x 10G SFP+ LAN Base
WS-C2960X-48LPS-L	Catalyst 2960-X 48 GigE PoE 370W - 4 x 1G SFP - LAN Base
WS-C2960X-48TD-L	Catalyst 2960-X 48 GigE,
WS-C2960X-48TS-L	Catalyst 2960-X 48 GigE - 4 x 1G SFP - LAN Base
WS-C2960X-48TS-LL	Catalyst 2960-X 48 GigE,
WS-C2960XR-24TS-I	Catalyst 2960-XR 24 GigE - 4 x 1G SFP - IP Lite
WS-C2960XR-48LPS-I	Catalyst 2960-XR 48 GigE PoE
WS-C3560C-12PC-S	Catalyst 3560C Switch 12 FE PoE - 2 x Dual Uplink - IP Base
WS-C3560C-8PC-S	Catalyst 3560C Switch 8 FE PoE - 2 x Dual Uplink - IP Base
WS-C3560CG-8PC-S	Catalyst 3560C Switch 8 GE PoE - 2 x Dual Uplink - IP Base
WS-C3560CG-8TC-S	Catalyst 3560C Switch 8 GE - 2 x Dual Uplink - IP Base
WS-C3560CX-12PC-S	Catalyst 3560-CX switch 12 GE PoE+ - uplinks: 2 x 1G SFP and 2 x 1G copper - IP Base
WS-C3560CX-12PD-S	Cisco Catalyst 3560-CX 12 Port
WS-C3560CX-8PC-S	Catalyst 3560-CX switch 8 GE PoE+ - uplinks: 2 x 1G SFP and 2 x 1G copper - IP Base
WS-C3560CX-8PT-S	Cisco Catalyst 3560-CX PD PSE
WS-C3560CX-8TC-S	Catalyst 3560-CX switch 8 GE - uplinks: 2 x 1G SFP and 2 x 1G copper - IP Base
WS-C3560V2-24PS-S	Catalyst 3560V2 24 10/100 PoE
WS-C3560V2-48TS-S	Catalyst 3560V2 48 10/100 +
WS-C3560X-24P-E	Catalyst 3560X 24 Port PoE IP
WS-C3560X-24P-L	Catalyst 3560X 24 Port PoE
WS-C3560X-24P-S	Catalyst 3560X 24 Port PoE
WS-C3560X-24T-E	Catalyst 3560X 24 Port Data
WS-C3560X-24T-L	Catalyst 3560X 24 Port Data

[RETOUR SOMMAIRE](#)

WS-C3560X-48PF-E	Catalyst 3560X 48 Port Full
WS-C3560X-48P-L	Catalyst 3560X 48 Port PoE
WS-C3560X-48P-S	Catalyst 3560X 48 Port PoE
WS-C3560X-48T-L	Catalyst 3560X 48 Port Data
WS-C3560X-48T-S	Catalyst 3560X 48 Port Data
WS-C3650-24PS-L	Catalyst 3650 24 Port PoE 4 x 1G Uplink LAN Base
WS-C3650-24PS-S	Catalyst 3650 24 Port PoE 4 x 1G Uplink IP Base
WS-C3650-24TD-L	Catalyst 3650 24 Port Data
WS-C3650-24TD-S	Catalyst 3650 24 Port Data 2 x 10G Uplink IP Base
WS-C3650-24TS-E	Catalyst 3650 24 Port Data
WS-C3650-24TS-L	Catalyst 3650 24 Port Data
WS-C3650-24TS-S	Catalyst 3650 24 Port Data 4 x 1G Uplink IP Base
WS-C3650-48FS-S	Catalyst 3650 48 Port Full
WS-C3650-48PD-S	Catalyst 3650 48 Port PoE
WS-C3650-48PS-E	Catalyst 3650 48 Port PoE
WS-C3650-48PS-L	Catalyst 3650 48 Port PoE
WS-C3650-48PS-S	Catalyst 3650 48 Port PoE 4 x 1G Uplink IP Base
WS-C3650-48TD-L	Catalyst 3650 48 Port Data
WS-C3650-48TS-E	Catalyst 3650 48 Port Data
WS-C3650-48TS-S	Catalyst 3650 48 Port Data 4 x 1G Uplink IP Base
WS-C3750V2-48PS-E	Catalyst 3750V2 48 10/100 PoE
WS-C3750X-12S-S	Catalyst 3750X 12 Port GE SFP IP Base
WS-C3750X-24S-S	Catalyst 3750X 24 Port GE
WS-C3750X-24T-L	Catalyst 3750X 24 Port Data
WS-C3750X-24T-S	Catalyst 3750X 24 Port Data
WS-C3750X-48PF-S	Catalyst 3750X 48 Port Full
WS-C3750X-48P-L	Catalyst 3750X 48 Port PoE
WS-C3750X-48P-S	Catalyst 3750X 48 Port PoE
WS-C3750X-48T-E	Catalyst 3750X 48 Port Data
WS-C3750X-48T-L	Catalyst 3750X 48 Port Data
WS-C3750X-48T-S	Catalyst 3750X 48 Port Data
WS-C3750X-48U-E	Catalyst 3750X 48 Port UPOE

WS-C3850-12S-S	Catalyst 3850 12 Port GE SFP IP Base
WS-C3850-12XS-S	Catalyst 3850 12 Port 10G Fiber IP Base
WS-C3850-24P-E	Cisco Catalyst 3850 24 Port
WS-C3850-24P-L	Catalyst 3850 24 Port PoE LAN Base
WS-C3850-24P-S	Catalyst 3850 24 Port PoE IP Base
WS-C3850-24S-E	Cisco Catalyst 3850 24 Port
WS-C3850-24S-S	Cisco Catalyst 3850 24 Port
WS-C3850-24T-E	Cisco Catalyst 3850 24 Port
WS-C3850-24T-L	Catalyst 3850 24 Port Data LAN Base
WS-C3850-24T-S	Cisco Catalyst 3850 24 Port
WS-C3850-24XS-E	Cisco Catalyst 3850 24 Port
WS-C3850-24XS-S	Catalyst 3850 24 Port PoE IP Services
WS-C3850-48F-E	Cisco Catalyst 3850 48 Port
WS-C3850-48F-L	Cisco Catalyst 3850 48 Port
WS-C3850-48F-S	Catalyst 3850 48 Port Full PoE IP Base
WS-C3850-48P-E	Cisco Catalyst 3850 48 Port
WS-C3850-48P-L	Catalyst 3850 48 Port PoE LAN Base
WS-C3850-48P-S	Cisco Catalyst 3850 48 Port
WS-C3850-48T-E	Cisco Catalyst 3850 48 Port
WS-C3850-48T-L	Catalyst 3850 48 Port Data LAN Base
WS-C3850-48T-S	Cisco Catalyst 3850 48 Port
WS-C4500X-16SFP+	Catalyst 4500-X 16 Port 10G IP
WS-C4500X-32SFP+	Catalyst 4500-X 32 Port 10G IP
WS-C4500X-F-16SFP+	Catalyst 4500-X 16 Port 10G IP
WS-C4500X-F-32SFP+	Catalyst 4500-X 32 Port 10G IP
WS-C4900M	Base System with 8 X2 Ports
WS-CAC-3000W=	Catalyst 6500 3000W AC Power
WS-X45-SUP7L-E=	Catalyst 4500 E-Series
WS-X45-SUP8-E=	Catalyst 4500 E-Series
WS-X4748-RJ45V+E=	Catalyst 4500E 48-Port PoE
X2-10GB-LR=	10GBASE-LR X2 Module

[RETOUR SOMMAIRE](#)

X2-10GB-LRM=	10GBASE-LRM X2 Module
XENPAK-10GB-CX4=	Cisco 10GBASE-CX4 XENPAK
XENPAK-10GB-LR+	10GBASE-LR XENPAK Module for
XENPAK-10GB-LRM=	10G Base LRM Xenpak

CISCO ROUTERS

ASR1002-X=	Cisco ASR1002-X Chassis, 6
C1941-SEC-SRE/K9	Cisco 1941 SRE Bundle, SRE
C2951-CME-SRST/K9	2951 UC Bundle w/ PVDMM3-32
C819G+7-K9	C819 Secure M2M GW (non-US)
C819G-4G-GA-K9	C819 M2M 4G LTE for Global,800
C819G-4G-G-K9	C819 M2M 4G LTE for Global 800
C819GW-LTE-GA-EK9	C819 M2M LTE for Global Bands
C819HG+7-K9	C819 Secure Hardened M2M GW
C881G+7-K9	WAN FE (non-US) 3.7G HSPA+ R7 w/ SMS/GPS (MC8705)
C881-K9	880 Series Integrated Services Routers
C881-V-K9	881 - FE WAN - 4 FXS - 2BRI - 1FXO
C881W-E-K9	881 Eth Sec Router with 802.11n ETSI Compliant
C886VA-K9	880 Series Integrated Services Routers
C887VAM-K9	Cisco 880 Series Integrated
C887VA-W-E-K9	887VA VDSL2/ADSL2+ over POTS W/802.11n ETSI Comp
C888EG+7-K9	G.SHDSL w/ EFM (non-US)
C888-K9	880 Series Integrated Services Routers
C891F-K9	890 Series Integrated Services Routers
C897VAG-LTE-GA-K9	GE SFP VDSL2/ADSL2+ over POTS
C897VA-K9	897 VDSL2/ADSL2+ over POTs and 1GE/SFP Sec Router
C897VA-M-K9	Cisco 897 Annex M over POTs
C898EA-K9	Cisco 898 G.SHDSL ATM/EFM
CISCO1921/K9	C1921 Modular Router, 2 GE, 2
CISCO1921-SEC/K9	1921/K9 with 2GE - SEC License PAK - 512MB DRAM - 256MB FI
CISCO1941/K9	1941 w/2 GE - 2 EHWIC slots - 256MB CF - 512MB DRAM - IP Base
CISCO1941-SEC/K9	1941 Security Bundle w/SEC License PAK

CISCO2901/K9	2901 w/2 GE - 4 EHWIC - 2 DSP - 256MB CF - 512MB DRAM - IP Base
CISCO2901-SEC/K9	2901 Security Bundle w/SEC License PAK
CISCO2911/K9	Cisco 2911 w/3 GE,4 EHWIC,2DSP
CISCO2911-SEC/K9	Cisco 2911 Security Bundle
CISCO2921/K9	2921 w/3 GE - 4 EHWIC - 3 DSP - 1 SM - 256MB CF - 512MB DRAM - IPB
CISCO2921-SEC/K9	2921 Security Bundle w/SEC License PAK
CISCO2951/K9	2951 w/3 GE -4 EHWIC -3 DSP -2 SM -256MB CF -512MB DRAM -IPB
CISCO867VAE-K9	Cisco 867VAE Secure Router
ISR4321/K9	Cisco ISR 4321 (2GE, 2NIM, 4G
ISR4331/K9	Cisco ISR 4331 (2GE,2NIM,1SM
ISR4431-SEC/K9	Cisco ISR 4431 Sec Bundle
ISR4451-X/K9	Cisco ISR 4451 (4GE,3NIM,2SM,

CISCO AIRONET

AIR-ANT1728	2.4 GHz - 5.2 dBi Ceiling Omni Ant. w/RP-TNC Connector
AIR-ANT1949	2.4 GHz, 13.5 dBi Yagi Mast
AIR-ANT24020V-R=	2.4 GHz, 2 dBi Omni Ceiling
AIR-ANT2420V-N=	2400-2483.5 MHz, 2.0 dBi Omni
AIR-ANT2422DG-R=	2.4 GHz 2.2 dBi Straight Dip.
AIR-ANT2422SDW-R=	2.4 GHz 2.2 dBi Low Profile
AIR-ANT2430V-R=	2.4-GHz 3 dBi Triple Omni Ant.
AIR-ANT2465P-R	2.4GHZ 6.5 dBi Patch Antenna
AIR-ANT2524DW-R=	2.4 GHz 2 dBi/5 GHz 4 dBi Dipole Ant. - White - RP - TNC
AIR-ANT2524V4C-R=	2.4GHz 2dBi/5GHz 4dBi Ceiling
AIR-ANT2566P4W-R=	2.4 GHz 6 dBi/5 GHz 6 dBi Directional Ant. - 4-port - RP- TNC
AIR-ANT4941	2.4 GHz 2.2 dBi Swivel Dipole Antenna Black - RP- TNC
AIR-ANT5135D-R	5 GHz 3.5 dBi Swivel Dipole Antenna Black - RP-TNC
AIR-ANT5135SDW-R=	5 GHz 3.5 dBi Low Profile Mono
AIR-ANT5160NP-R=	5 GHz 6 dBi 802.11n Direct.
AIR-ANT5160V-R	5GHz 6dBi Omni Antenna
AIR-ANT5170P-R	5Ghz 7dBi Diversity Patch Ant.
AIR-ANT5180V-N=	4900-5850 MHz, 8.0 dBi Omni
AIR-AP1832I-E-K9	802.11ac Wave 2; 3x3:2SS; Int Ant; E Reg Domain

[RETOUR SOMMAIRE](#)

AIR-AP1852E-E-K9	802.11ac Wave 2; 4x4:4SS;
AIR-AP1852I-E-K9	802.11ac (draft 5.0) - 802.11a/b/g/n/ac (draft 5.0) - Aironet 1852I - Dual Band
AIR-CAP1552I-E-K9	802.11N Outdoor Mesh Access
AIR-CAP1602E-E-K9	802.11a/g/n Ctrlr- based AP - Ext Ant - E Reg Domain
AIR-CAP1602I-E-K9	802.11a/g/n Ctrlr- based AP - Int Ant - E Reg Domain
AIR-CAP1702I-E-K9	802.11ac CAP; 3x3:2SS; Int Ant; E Reg Domain
AIR-CAP2602E-E-K9	802.11n CAP w/CleanAir; 3x4:
AIR-CAP2602I-E-K9	802.11n CAP w/CleanAir; 3x4:3SS; Mod; Int Ant; E Reg Domain
AIR-CAP2702E-E-K9	802.11ac CAP w/CleanAir; 3x4:
AIR-CAP2702I-E-K9	802.11ac CAP w/CleanAir; 3x4:
AIR-CAP3501E-E-K9	802.11g/n Ctrlr-based AP w/
AIR-CAP3501I-E-K9	802.11g/n Ctrlr-based AP w/
AIR-CAP3502E-E-K9	802.11a/g/n Ctrlr- based AP w/CleanAir; Ext Ant; E Reg Domain
AIR-CAP3502I-E-K9	802.11a/g/n Ctrlr- based AP w/CleanAir; Int Ant; E Reg Domain
AIR-CAP3602E-E-K9	802.11n CAP w/CleanAir; 4x4:3SS; Mod; Ext Ant; E Reg Domain
AIR-CAP3602I-E-K9	802.11n CAP w/CleanAir; 4x4:3SS; Mod; Int Ant; E Reg Domain
AIR-CAP3702E-E-K9	802.11ac Ctrlr AP 4x4:3SS w/CleanAir; Ext Ant; E Reg Domain
AIR-CAP3702I-E-K9	802.11ac Ctrlr AP 4x4:3SS w/CleanAir; Int Ant; E Reg Domain
AIR-CAP702I-E-K9	802.11n CAP702 - 2x2:2SS; Int Ant; E Reg Domain
AIR-CT2504-15-K9	2504 Wireless Controller with 15 AP Licenses
AIR-CT2504-25-K9	2504 Wireless Controller with
AIR-CT2504-5-K9	2504 Wireless Controller with 5 AP Licenses
AIR-CT2504-RMNT=	2504 Wireless Controller Rack Mount Bracket
AIR-CT5508-12-K9	Cisco 5508 Series Wireless
AIR-CT5508-25-K9	Cisco 5508 Series Wireless
AIR-CT5508-50-K9	Cisco 5508 Series Wireless
AIR-PWR-B=	Power Supply:100- 240VAC - 48VDC: AP1130 - 1140 - 1240 - 1260 - 1300 - 3500
AIR-PWRINJ4=	Power Injector - AP- 3600 Series w/ Modules
AIR-PWRINJ5=	Power Injector (802.3af) for AP 1600 - 2600 and 3600 w/o mod
AIR-SAP1602E-E-K9	802.11a/g/n Standalone AP - Ext Ant - E Reg Domain
AIR-SAP1602I-E-K9	802.11a/g/n Standalone AP
AIR-SAP2602E-E-K9	802.11n Auto ; 3x4:3SS; Mod;Ext Ant; E Reg Domain
AIR-SAP2602I-E-K9	802.11n Auto ; 3x4:3SS; Mod

[RETOUR SOMMAIRE](#)

AIR-SAP702I-E-K9

802.11n Standalone 702, 2x2:

